



CHLORINATED ORGANICS

ISOFORM™ ISOMERIZATION GRADE/REFORMING GRADE
REFINING GRADES OF PERCHLOROETHYLENE



ISOFORM™ Isomerization Grade Perchloroethylene

Introduction

In the petroleum refining industry, most platinum-based catalysts used in catalytic reformer and isomerization units, as well as the isomerization units in natural gas liquid (NGL) plants, require small amounts of chlorine to maintain catalyst activity and stability. Regulatory requirements (like The Montreal Protocol and the U.S. Clean Air Act of 1990), as well as handling and packaging concerns, have made use of ethylene dichloride (EDC), 1,1,1-trichloroethane and carbon tetrachloride unattractive in these applications.

Olin offers two products as chlorine sources to the refinery industry: ISOFORM™ Isomerization Grade Perchloroethylene and ISOFORM Reforming Grade Perchloroethylene.

Benefits of these solutions include:

- No ozone depletion
- Non-flammable
- Long-term viability
- Readily available
- No federal excise tax in some countries (e.g., United States)
- Available through approved distribution



ISOFORM™ Isomerization Grade Perchloroethylene

ISOFORM™ Isomerization Grade Perchloroethylene is offered as a preferred product for the isomerization process. This product contains no sulfide or nitrogen compounds and only traces of water and oxygen compounds (see specification). ISOFORM Isomerization Grade is approved on UOP's (Universal Oil Products) perchloroethylene specification for use in isomerization processes.

Manufacturing and Availability

Olin manufactures ISOFORM Isomerization Grade Perchloroethylene in Plaquemine, Louisiana (U.S.), and Stade, Germany. This product is available in bulk or drums, either directly from Olin or through an approved Olin distributor. For information about the availability of ISOFORM Perchloroethylene products in your location, please contact your Olin sales representative.

ISOFORM™ Reforming Grade Perchloroethylene

ISOFORM™ Reforming Grade Perchloroethylene

ISOFORM™ Reforming Grade Perchloroethylene is offered as a preferred product for chloriding reforming catalyst. This product contains no sulfide compounds and only traces of water and oxygen/nitrogen-containing compounds (see specification). ISOFORM Reforming Grade is not suitable for isomerization units.

Manufacturing and Availability

ISOFORM Reforming Grade Perchloroethylene is manufactured in Plaquemine, Louisiana (U.S.), and Stade, Germany. This product is available in bulk or drums directly from Olin or from Olin-approved distributors.

Properties

Property ¹	Isomerization Grade	Reforming Grade
Purity, %	99.95	99.95
Color, Pt-Co	<10	<10
Appearance	Clear and free of suspended matter	Clear and free of suspended matter
Non-volatile residue (ppm)	<10	<10
Water (ppm)	<25	<30
Chlorides (ppm)	<1	<1
Additive stabilizer (ppm)	<10	>20
Organically bound oxygen+nitrogen (ppm)	<5	<25
Formula	Cl ₂ + CCl ₂	Cl ₂ + CCl ₂
Density, 25 °C	1619 g/L (13.51 lb/gal)	1619 g/L (13.51 lb/gal)
Boiling point	121 °C (250 °F)	121 °C (250 °F)
Freezing point	-23 °C (-9 °F)	-23 °C (-9 °F)
Flammable limits	None	None
Flash point	None	None
Vapor pressure 20 °C (mbar)	18.7	18.7

Isoform Comparisons

Due to differences in chlorine content between formerly used chloride source and ISOFORM Perchloroethylene (either grade), some adjustment of catalyst chloriding rates will be required. The following chart helps to determine chlorine equivalencies for different products.

Chemical	Pbw ¹ Chlorine/pbw Solvent ²	Pbw Solvent/pbw Chlorine
ISOFORM ³	0.855	1.17
Carbon tetrachloride	0.922	1.08
1, 1, 1 trichloroethane	0.797	1.25
Ethylene dichloride	0.717	1.40
Trichloroethylene	0.810	1.23

¹Pbw = parts by weight.

²Theoretical limits, assuming pure chemicals.

³Isomerization Grade and Reforming Grade Perchloroethylene.

Note: Suitability of the solvent should be confirmed with the catalyst manufacturer or the process licensor.

ISOFORM™ Storage and Handling

For ISOFORM™ Isomerization Grade Perchloroethylene, nitrogen padding of storage tanks is recommended. For more information on the storage and handling recommendations of ISOFORM Grades Perchloroethylene and chlorinated solvents in general, as well as for information on groundwater protection and emission minimization, review the Safety Data Sheet and see the Chlorinated Solvents Product Stewardship Manual. Be sure to comply with the country-specific and local requirements.

Product Stewardship

When considering the use of any Olin products in a particular application, you should review the latest Safety Data Sheets from Olin and ensure that they are intended for safe use. For Safety Data Sheets and other

product safety information, contact Olin. Before handling any other products mentioned in the text, you should obtain available product safety information and take necessary steps to ensure safety of use.

No chemical should be used as or in a food, drug, medical device, or cosmetic, or in a product or process in which it may contact a food, drug, medical device, or cosmetic until the user has determined the suitability and legality of the use. Since government regulations and use conditions are subject to change, it is the user's responsibility to determine that this information is appropriate and suitable under current, applicable laws and regulations.

Olin requests that the customer read, understand, and comply with the information contained in this publication and the current Safety Data Sheet(s). The customer should furnish the information in this publication to its employees, contractors and customers, or any other users of the product(s), and request that they do the same.

Global Contact Information

USA: +1 844 238 3445

Argentina: +54 1150789792

Brazil: +55 6135500717

Canada: +1 877 304 4442

China: +86 4008859485

France: +33 176361145

Germany: +49 41417693000

Hong Kong: +852 58081886

Italy: +39 0694805761

Japan: +81 345406770

Mexico: +52 5553518395

Russia: +7 4996092327

Singapore: +65 31632006

South Korea: +82 260221296

United Kingdom: +44 8000869047

Info@olinbc.com

www.OlinEpoxy.com

Toll free service not available in all countries



The information contained herein ("Information") is based on information available to Olin and is true and accurate to the best of our knowledge. The Information is not intended to be all-inclusive as to manner or conditions of use, handling, storage, disposal and other activities that may involve additional legal, technical, safety and/or performance consideration. The Information is offered solely for your consideration, investigation and verification. Olin makes no representations or warranties as to the completeness or accuracy of the Information and, in no event will Olin be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information or the products to which Information refers. The Information is supplied upon the condition that the recipient of the Information will make its own determination as to its suitability for the recipient's purposes prior to use, and the recipient is responsible for compliance with all applicable federal, state and local laws and regulations.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION OR THE PRODUCTS TO WHICH INFORMATION REFERS.

Nothing contained herein is to be construed as a recommendation to use any product, process, equipment or formulation in conflict with any patent, and Olin makes no representation or warranty, express or implied, that the use thereof will not infringe any patent.